

## Általános

A Vesbo termékek ellenállnak a különböző savaknak és kloridoknak a polipropilén vegyi tulajdonságainak köszönhetően. Emiatt a Vesbo csövek mind kemény, mind lágy vizet képesek szállítani, a klór mennyiségét is a fogyasztási határértéken belül lehet tartani.

## Vegy ellenállási charta

Az alábbi táblázat mutatja be a PP-R csövek és fittingek kémiai tulajdonságait.

G : Jó S : Kielégítő Ns : Nem kielégítő

Reagent	Concentration	Temperature C°		
		20c°	60c°	100c°
acetic anyride	100%	G	-	-
acetic di-tri-chloroacetic	sol	G	-	-
acetic acid	up to 40%	G	G	-
acetic acid	50%	G	G	S
acetic glacial acid	over 96%	G	S	NS
acetone	100%	G	S	-
acetophenone anyride	100%	G	S	-
acrylonitrile	100%	G	-	-
air		G	G	G
almond oil		G	-	-
alum	sol.	G	-	-
ammonia (gas)	100%	G	-	-
ammonia (saturated in water)		G	G	-
ammonia liquor	up to 30%	G	G	-
ammonium acetate	sat. sol.	G	G	-
ammonium bicarbonate	sat. sol.	G	G	-
ammonium chloride	sat. sol.	G	G	-
ammonium fluoride	sol.	G	G	-
ammonium hydroxide	sol.	G	-	-
ammonium methaphosphate	sat. sol.	G	G	G
ammonium nitrate	sat. sol.	G	G	G
ammonium phosphate	sat. sol.	G	G	-
ammonium sulphate	sat. sol.	G	G	G
amyl acetate	100%	S	-	-
amyl alcohol	100%	G	G	G
aniline	100%	S	-	-
anisole	100%	S	-	-
apple juice		G	G	-
barium carbonate	sat. sol.	G	G	G
barium chloride	sat. sol.	G	G	G
barium hydroxide	sat. sol.	G	G	G
barium sulphate	sat. sol.	G	G	G
benzoic acid	sat. sol.	G	-	-
benzoyl acid	100%	G	G	-
benzoin alcohol	100%	G	S	-
borax	sol.	G	G	-
boric acid	sat. sol.	G	G	-

Reagent	Concentration	Temperature C°		
		20c°	60c°	100c°
butane	100%	G	G	-
butanol	100%	G	S	S
butyglycol	100%	G	-	-
butyphenol	cold sat. sol.	G	-	-
butly phtalate	100%	G	S	S
calcim carbonate	sat. sol.	G	G	G
calcium chloride	sat. sol.	G	G	G
calcium hydroxide	sat. sol.	G	G	-
calcium nitrate	sat. sol.	G	G	-
carbon doioxide,gaseus,dry	100%	G	G	-
carbon dioxide,gaeus,wet		G	G	-
carbon di-sulphide	100%	NS	NS	NS
carbon tetrachloride	100%	NS	NS	NS
castor-oil	100%	G	G	-
chloroethanol (2-Chlorethanol)	100%	G	-	-
chrome alum	sat. sol.	G	G	-
chromic acid	up to 40%	S	S	NS
citric acid	10%	G	G	G
coconut-oil		G	-	-
corn-oil		G	S	-
cotton-oil		G	S	-
cresol	over 90%	G	-	-
cupric chloride	sat. sol.	G	G	-
cupric nitrate	30%	G	G	G
cupric sulphate	sat. sol.	G	G	-
cyclohexane	100%	G	-	-
cyclohexanol	100%	G	S	-
dextrin	sol.	G	G	-
dextrose	sol.	G	G	-
di-butly phtalate	100%	G	S	NS
di-chloroacetic acid	100%	S	-	-
di-chloroethylene	100%	S	-	-
di-ethanolamine	100%	G	-	-
di-ethyl ether	100%	G	S	-
di-ethylen glycol	100%	G	G	-
di-glycolic acid	sat. sol.	G	-	-
di-isooctyl phtalate	100%	G	S	-
di-methylamine	100%	G	-	-
di-methylformamide	100%	G	G	-
di-octyl phtalate	100%	S	S	-
dioxan	100%	S	S	-
ethanolamine	100%	G	-	-
ethylalcohol (ethanole)	up to 95%	G	G	-
ethylene chloride	100%	NS	NS	-
athyleneglycole	100%	G	G	G
formaldehyde	40%	G	-	-
formic acid	10%	G	G	S

Reagent	Concentration	Temperature C°		
		20c°	60c°	100c°
formic acid	85%	S	NS	NS
formic acid (anhydrous)	100%	S	S	S
fructose	sol.	G	G	G
fruit juice		G	G	G
glucose	20%	G	G	G
glycerine	100%	G	G	G
glycolic acid	30%	G	-	-
hexane	100%	S	S	-
hydrobromic, acid	up to 48%	G	S	NS
hydrochloric acid	27%	G	G	G
hydrochloric acid	10%	G	G	-
hydrochloric acid	30%	G	S	S
hydrochloric acid	35.76%	G	-	-
hydrochloric acid, gas, dry	100%	G	G	-
hydrofluoric acid	dil. sol.	G	-	-
hydrofluoric acid	40%	G	-	-
hydrogen	100%	G	-	-
hydrogen peroxide	up to 10%	G	-	-
hydrogen peroxide	up to 30%	G	-	-
hydrogen sulphide, gas, dry	100%	G	G	-
iodine (alcoholic solution)		G	-	-
isopropylalcohol	100%	G	G	G
isopropylether	100%	S	-	-
jelly	100%	G	G	-
lactic acid	up to 90%	G	G	-
lanolin		G	S	-
linseed-oil		G	G	-
magnesium carbonate	sat. sol.	G	G	G
magnesium chloride	sat. sol.	G	G	-
mercurous nitrate	sol.	G	G	-
mercury	100%	G	G	-
metly acetate	100%	G	-	-
metly alcohol	5%	G	S	S
metly ethly ketone	100%	G	-	-
metlyamine	up to 32%	G	-	-
milk		G	G	G
monochloroacetic acid	over 85%	G	G	-
naphta		G	NS	NS
nickel chloride	sat. sol.	G	G	-
nickel nitrate	sat. sol.	G	G	-
nickel sulphate	sat. sol.	G	G	-
nitric acid	10%	G	NS	NS
nitric acid	30%	S	-	-
nitric acid, fuming		NS	NS	NS
nitrobenzene	100%	G	S	-
olive-oil		G	G	S
oxalic acid	sat. sol.	G	S	NS

Reagent	Concentration	Temperature C°		
		20C°	60C°	100C°
sodium hypochlorite	20%	S	-	-
sodium metaphosphate	sol.	G	-	-
sodium nitrate	sat. sol.	G	G	-
sodium ortho-phosphate	sat. sol.	G	G	-
sodium perborate	sat. sol.	G	-	-
sodium silicate	sol.	G	G	-
sodium sulfide	sat. sol.	G	-	-
sodium sulfite	40%	G	G	G
sodium sulphate	sat. sol.	G	G	-
sodium thiosulphate	sat. sol.	G	-	-
soybean-oil		G	S	-
stannic chloride	sat. sol.	G	G	-
succinic acid	sat. sol.	G	G	-
sulphur dioxide, dry gas	100%	G	-	-
sulphur dioxide, wet gas	100%	G	-	-
sulphuric acid	up to 10%	G	G	G
sulphuric acid	100%	G	G	-
sulphuric acid	50%	G	S	G
sulphuric acid	96%	G	S	NS
sulphurous acid	sol.	G	-	-
tartaric acid	10%	G	G	-
thiophene	100%	G	S	-
trichloroacetic acid	up to 50%	G	G	-
triethanolamine	sat. sol.	G	-	-
urea	sat. sol.	G	-	-
vinegar		G	G	-
water, brackish		G	G	G
water, distilled	100%	G	G	G
water, drinkable		G	G	G
water, mineral		G	G	G
water (sea water)		G	G	G

All information supplied by or on behalf of DSM in relation to its products, whether in the nature of data, recommendations or otherwise, is supported by research and believed reliable, but DSM assumes no liability whatsoever in respect of application, processing or use made of the above-mentioned information or products, or any consequence thereof. The user undertakes all liability in respect of the application, processing or use of the above-mentioned information or product, whose quality and other properties he shall verify, or any consequence thereof. No liability whatsoever shall attach to DSM for any infringement of the rights owned or controlled by a third party in intellectual, industrial or other property by reason of the application, processing or use of the above-mentioned information or products by the user.